ELSEVIER

Brain Research 739 (1996) 361–362

BRAIN RESEARCH

Author Index

Abe, Y., see Busik, J. (739) 97
Althaus, J.S., see Gbadebo, T.D. (739) 210
Amir, S., see Woodside, B. (739) 339

Baylis, H.A., see Matsuda, K. (739) 335
Bee, D., see Peers, C. (739) 251
Belayev, L., Busto, R., Zhao, W. and Ginsberg, M.D.
Quantitative evaluation of blood-brain barrier permeability following middle cerebral artery occlusion in rats (739) 88
Bossert, J.M., see Mistlberger, R.E. (739) 12
Bowyer, J.F., see Holson, R.R. (739) 301
Brown, K.L., see Levin, B.E. (739) 293
Brudzynski, S.M., see Ma, J. (739) 26
Buckingham, S.D., see Matsuda, K. (739) 335
Budai, D., see Parsons, A.M. (739) 263
Busik, J., Nakamura, M., Abe, Y., Shibuya, I. and Kanno, T.
Effects of GABA on spontaneous $[Ca^{2+}]_c$ dynamics and electrical properties of rat adrenal chromaffin cells (739) 97
Busto, R., see Belayev, L. (739) 88

Carpenter, D.O., see Son, H. (739) 282
Carpenter, E., see Peers, C. (739) 251
Caston, J., see Joyal, C.C. (739) 1
Chan, Y.S., see Lai, C.H. (739) 322
Ciriello, J.
Effect of aortic baroreceptor deafferentation on plasma vasopressin and oxytocin in the conscious rat (739) 52
Clausing, P., see Holson, R.R. (739) 301
Colicos, M.A. and Dash, P.K.
Apoptotic morphology of dentate gyrus granule cells following experimental cortical impact injury in rats: possible role in spatial memory deficits (739) 120
Colicos, M.A., Dixon, C.E. and Dash, P.K.
Delayed, selective neuronal death following experimental cortical impact injury in rats: possible role in memory deficits (739) 111
Cotman, C.W., see Su, J.H. (739) 79
Cummings, B.J., see Su, J.H. (739) 79

Dash, P.K., see Colicos, M.A. (739) 111
Dash, P.K., see Colicos, M.A. (739) 120
De Crespigny, A., see Yenari, M.A. (739) 36
De Groot, M.H.M., see Mistlberger, R.E. (739) 12
Dixon, C.E., see Colicos, M.A. (739) 111
Dunn-Meynell, A.A., see Levin, B.E. (739) 293

Fornal, C.A., see Marrosu, F. (739) 192
Forni, C., see Samuel, D. (739) 156

Gbadebo, T.D., Althaus, J.S., Narasimhachari, N. and Stewart, J.K.
Impaired distribution of α-methyl-L-*p*-tyrosine in diabetic rats (739) 210
Gillardon, F., Klimaschewski, L., Wickert, H., Krajewski, S., Reed, J.C. and Zimmermann, M.
Expression pattern of candidate cell death effector proteins Bax, Bcl-2, Bcl-X, and c-Jun in sensory and motor neurons following sciatic nerve transection in the rat (739) 244
Ginsberg, M.D., see Belayev, L. (739) 88
Gough, B., see Holson, R.R. (739) 301
Gracy, K.N. and Pickel, V.M.
Ultrastructural immunocytochemical localization of the *N*-methyl-D-aspartate receptor and tyrosine hydroxylase in the shell of the rat nucleus accumbens (739) 169
Guido, M.E., Rusak, B. and Robertson, H.A.
Expression of *fosB* mRNA in the hamster suprachiasmatic nucleus is induced at only selected circadian phases (739) 132

Hall, S., Milne, B. and Jhamandas, K.
Nitric oxide synthase inhibitors attenuate acute and chronic morphine withdrawal response in the rat locus coeruleus: an in vivo voltammetric study (739) 182
Hatton, C.J., see Peers, C. (739) 251
Hayashi, S., see Okamoto, S. (739) 308
Hironobu Ichikawa, see Shirayama, Y. (739) 70
Holson, R.R., Bowyer, J.F., Clausing, P. and Gough, B.
Methamphetamine-stimulated striatal dopamine release declines rapidly over time following microdialysis probe insertion (739) 301
Honda, C.N., see Parsons, A.M. (739) 263
Horschke, I., see Zupanc, G.K.H. (739) 201
Hosie, A.M., see Matsuda, K. (739) 335
Hu, H.-Z. and Li, Z.-W.
Substance P potentiates ATP-activated currents in rat primary sensory neurons (739) 163

Ibaraki, K., see Okamoto, S. (739) 308
Imanaga, I., see Inoue, M. (739) 350

Inoue, M. and Imanaga, I.
Fluctuation analysis of nonselective cation currents induced by AlF complex in guinea-pig chromaffin cells (739) 350

Jacobs, B.L., see Marrosu, F. (739) 192
Jacobs, B.L., see Rueter, L.E. (739) 57
Jacobson, N.A., see Lephart, E.D. (739) 356
Jacquart, G., see Joyal, C.C. (739) 1
Jhamandas, K., see Hall, S. (739) 182
Jia, Y.-p., see Parsons, A.M. (739) 263
Joyal, C.C., Meyer, C., Jacquart, G., Mahler, P., Caston, J. and Lalonde, R.
Effects of midline and lateral cerebellar lesions on motor coordination and spatial orientation (739) 1

Kanno, T., see Busik, J. (739) 97
Kawata, Y., Sako, K. and Yonemasu, Y.
Sequential changes in cerebrovascular reserve capacity in three-vessel occlusion rats (739) 330
Keim, S.R. and Shekhar, A.
The effects of $GABA_A$ receptor blockade in the dorsomedial hypothalamic nucleus on corticotrophin (ACTH) and corticosterone secretion in male rats (739) 46
Kerkerian-Le Goff, L., see Samuel, D. (739) 156
Klimaschewski, L., see Gillardon, F. (739) 244
Kondoh, T., see Tabuchi, E. (739) 139
Krajewski, S., see Gillardon, F. (739) 244

Labouesse, J., see Voisin, P.J. (739) 215
Ladle, D.R., see Lephart, E.D. (739) 356
Lai, C.H. and Chan, Y.S.
Spontaneous activity of otolith-related vestibular nuclear neurons in the decerebrate rat (739) 322
Lalonde, R., see Joyal, C.C. (739) 1
Lephart, E.D., Ladle, D.R., Jacobson, N.A. and Rhees, R.W.
Inhibition of brain 5α-reductase in pregnant rats: effects on enzymatic and behavioral activity (739) 356
Leung, L.-W.S., see Ma, J. (739) 26
Levin, B.E., Brown, K.L. and Dunn-Meynell, A.A.
Differential effects of diet and obesity on high and low affinity sulfonylurea binding sites in the rat brain (739) 293
Li, Z.-W., see Hu, H.-Z. (739) 163

Ma, J., Brudzynski, S.M. and Leung, L.-W.S.
Involvement of the nucleus accumbens–ventral pallidal pathway in postictal behavior induced by a hippocampal afterdischarge in rats (739) 26
Macouillard, F., see Voisin, P.J. (739) 215
Madelian, V., see Son, H. (739) 282
Mahler, P., see Joyal, C.C. (739) 1
Marchant, E.G., see Mistlberger, R.E. (739) 12
Marrosu, F., Fornal, C.A., Metzler, C.W. and Jacobs, B.L.
5-HT_{1A} agonists induce hippocampal theta activity in freely moving cats: role of presynaptic 5-HT_{1A} receptors (739) 192
Marshall, J.F., see McPherson, R.J. (739) 19
Matsuda, K., Hosie, A.M., Buckingham, S.D., Squire, M.D., Baylis, H.A. and Sattelle, D.B.
pH-Dependent actions of THIP and ZAPA on an ionotropic *Drosophila melanogaster* GABA receptor (739) 335
Matsuki, N., see Mizutani, A. (739) 276
Matsuo, A., see Terai, K. (739) 343
McGeer, E.G., see Terai, K. (739) 343
McGeer, P.L., see Terai, K. (739) 343
McPherson, R.J. and Marshall, J.F.
Intrastriatal AP5 differentially affects behaviors induced by local infusions of D_1 vs. D_2 dopamine agonists (739) 19
Mendelowitz, D., see Mihalevich, M. (739) 258
Metzler, C.W., see Marrosu, F. (739) 192
Meyer, C., see Joyal, C.C. (739) 1
Mihalevich, M., Neff, R.A. and Mendelowitz, D.
Voltage-gated currents in identified parasympathetic cardiac neurons in the nucleus ambiguus (739) 258
Milne, B., see Hall, S. (739) 182
Mistlberger, R.E., De Groot, M.H.M., Bossert, J.M. and Marchant, E.G.
Discrimination of circadian phase in intact and suprachiasmatic nuclei-ablated rats (739) 12
Mitsushio, H., see Shirayama, Y. (739) 70
Mizutani, A., Saito, H. and Matsuki, N.
Possible involvement of plasmin in long-term potentiation of rat hippocampal slices (739) 276
Mokha, S.S., see Wang, X.-M. (739) 235
Morrison-Bogorad, M., see Voisin, P.J. (739) 215
Moseley, M.E., see Yenari, M.A. (739) 36
Muren, J.E. and Nässel, D.R.
Radioimmunoassay determination of tachykinin-related peptide in different portions of the central nervous system and intestine of the cockroach *Leucophaea maderae* (739) 314

Nakamura, M., see Busik, J. (739) 97
Narasimhachari, N., see Gbadebo, T.D. (739) 210
Nässel, D.R., see Muren, J.E. (739) 314
Neff, R.A., see Mihalevich, M. (739) 258
Nieoullon, A., see Samuel, D. (739) 156
Nozaki-Taguchi, N., see Yamamoto, T. (739) 104

Okamoto, S., Ibaraki, K., Hayashi, S. and Saito, M.
Ventromedial hypothalamus suppresses splenic lymphocyte activity through sympathetic innervation (739) 308
Ono, T., see Tabuchi, E. (739) 139

Palmer, J.T., see Yenari, M.A. (739) 36
Pardue, S., see Voisin, P.J. (739) 215
Parsons, A.M., Honda, C.N., Jia, Y.-p., Budai, D., Xu, X.-J., Wiesenfeld-Hallin, Z. and Seybold, V.S.
Spinal NK_1 receptors contribute to the increased excitability of the nociceptive flexor reflex during persistent peripheral inflammation (739) 263
Peers, C., Carpenter, E., Hatton, C.J., Wyatt, C.N. and Bee, D.
Ca^{2+} channel currents in type I carotid body cells of normoxic and chronically hypoxic neonatal rats (739) 251
Pickel, V.M., see Gracy, K.N. (739) 169
Pisano, P., see Samuel, D. (739) 156

Reed, J.C., see Gillardon, F. (739) 244
Rhees, R.W., see Lephart, E.D. (739) 356
Robertson, H.A., see Guido, M.E. (739) 132
Rueter, L.E. and Jacobs, B.L.
A microdialysis examination of serotonin release in the rat forebrain induced by behavioral/environmental manipulations (739) 57
Rusak, B., see Guido, M.E. (739) 132

Saito, H., see Mizutani, A. (739) 276
Saito, M., see Okamoto, S. (739) 308
Sako, K., see Kawata, Y. (739) 330
Samuel, D., Pisano, P., Forni, C., Nieoullon, A. and Kerkerian-Le Goff, L.
Involvement of the glutamatergic metabotropic receptors in the regulation of glutamate uptake and extracellular excitatory amino acid levels in the striatum of chloral hydrate-anesthetized rats (739) 156
Sattelle, D.B., see Matsuda, K. (739) 335
Seybold, V.S., see Parsons, A.M. (739) 263
Shekhar, A., see Keim. S.R. (739) 46
Shibuya, I., see Busik, J. (739) 97
Shirayama, Y., Mitsushio, H., Takashima, M., Hironobu Ichikawa, and Takahashi, K.
Reduction of substance P after chronic antidepressants treatment in the striatum, substantia nigra and amygdala of the rat (739) 70
Son, H., Madelian, V. and Carpenter, D.O.
The translocation and involvement of protein kinase C in mossy fiber-CA3 long-term potentiation in hippocampus of the rat brain (739) 282
Squire, M.D., see Matsuda, K. (739) 335
Steinberg, G.K., see Yenari, M.A. (739) 36
Stewart, J.K., see Gbadebo, T.D. (739) 210
Su, J.H., Cummings, B.J. and Cotman, C.W.
Plaque biogenesis in brain aging and Alzheimer's disease. I. Progressive changes in phosphorylation states of paired helical filaments and neurofilaments (739) 79
Sun, G.H., see Yenari, M.A. (739) 36

Tabuchi, E., Uwano, T., Kondoh, T., Ono, T. and Torii, K.
Contribution of chorda tympani and glossopharyngeal nerves to taste preferences of rat for amino acids and NaCl (739) 139
Takahashi, K., see Shirayama, Y. (739) 70
Takashima, M., see Shirayama, Y. (739) 70
Terai, K., Matsuo, A., McGeer, E.G. and McGeer, P.L.
Enhancement of immunoreactivity for NF-κB in human cerebral infarctions (739) 343
Torii, K., see Tabuchi, E. (739) 139

Uwano, T., see Tabuchi, E. (739) 139

Voisin, P.J., Pardue, S., Macouillard, F., Yehia, G., Labouesse, J. and Morrison-Bogorad, M.
Differential expression of heat shock 70 proteins in primary cultures from rat cerebellum (739) 215

Wang, X.-M., Yan, J.-Q., Zhang, K.-M. and Mokha, S.S.
Role of opioid receptors (μ, δ_1, δ_2) in modulating responses of nociceptive neurons in the superficial and deeper dorsal horn of the medulla (trigeminal nucleus caudalis) in the rat (739) 235
Wickert, H., see Gillardon, F. (739) 244
Wiesenfeld-Hallin, Z., see Parsons, A.M. (739) 263
Woodside, B. and Amir, S.
Reproductive state changes NADPH-diaphorase staining in the paraventricular and supraoptic nuclei of female rats (739) 339
Wyatt, C.N., see Peers, C. (739) 251

Xu, X.-J., see Parsons, A.M. (739) 263

Yamamoto, T. and Nozaki-Taguchi, N.
Analysis of the effects of cyclooxygenase (COX)-1 and COX-2 in spinal nociceptive transmission using indomethacin, a non-selective COX inhibitor, and NS-398, a COX-2 selective inhibitor (739) 104
Yan, J.-Q., see Wang, X.-M. (739) 235
Yehia, G., see Voisin, P.J. (739) 215
Yenari, M.A., Palmer, J.T., Sun, G.H., De Crespigny, A., Moseley, M.E. and Steinberg, G.K.
Time-course and treatment response with SNX-111, an N-type calcium channel blocker, in a rodent model of focal cerebral ischemia using diffusion-weighted MRI (739) 36
Yonemasu, Y., see Kawata, Y. (739) 330

Zhang, K.-M., see Wang, X.-M. (739) 235
Zhao, W., see Belayev, L. (739) 88
Zimmermann, M., see Gillardon, F. (739) 244
Zupanc, G.K.H. and Horschke, I.
Tectal input to the central posterior/prepacemaker nucleus of weakly electric fish, *Apteronotus leptorhynchus*: an in vitro tract-tracing study (739) 201